

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/644,435	08/19/2003	Daniel Brian Tan	03-188-B	6982
31718	7590 11/02/2006		EXAMINER	
•	ACOBS & TOWNSI	PATTERSON, MARC A		
HOWARD HUGHES CENTER 6100 CENTER DRIVE SUITE 630			ART UNIT	PAPER NUMBER
			1772	
LOS ANGELE	ES, CA 90045		DATE MAILED: 11/02/2006	

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)				
Office Action Summany	10/644,435	TAN, DANIEL BRIAN				
Office Action Summary	Examiner	Art Unit				
	Marc A. Patterson	1772				
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address				
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tim rill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONEI	I. lely filed the mailing date of this communication. D (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on 16 Au	<u>ugust 2006</u> .	•				
2a) This action is FINAL . 2b) ⊠ This						
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is						
closed in accordance with the practice under E	x parte Quayle, 1935 C.D. 11, 45	3 O.G. 213.				
Disposition of Claims						
4)⊠ Claim(s) <u>1-42</u> is/are pending in the application.						
4a) Of the above claim(s) is/are withdrawn from consideration.						
5) Claim(s) is/are allowed.	5) Claim(s) is/are allowed.					
6) Claim(s) <u>1-42</u> is/are rejected.						
7) Claim(s) is/are objected to.						
8) Claim(s) are subject to restriction and/or	r election requirement.					
Application Papers						
9) The specification is objected to by the Examine	r.					
10)☐ The drawing(s) filed on is/are: a)☐ accepted or b)☐ objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correcti		` '				
11)☐ The oath or declaration is objected to by the Ex	aminer. Note the attached Office	Action or form PTO-152.				
Priority under 35 U.S.C. § 119	•					
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of:						
 Certified copies of the priority documents have been received. 						
2. Certified copies of the priority documents have been received in Application No						
3. Copies of the certified copies of the prior		d in this National Stage				
application from the International Bureau	• • • • • • • • • • • • • • • • • • • •					
* See the attached detailed Office action for a list of the certified copies not received.						
	•					
Attachmont/c\						
Attachment(s) 1) X Notice of References Cited (PTO-892)	4) 🔲 Interview Summary	(PT∩.413)				
2) Dotice of Draftsperson's Patent Drawing Review (PTO-948)	Paper No(s)/Mail Da	te				
3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	5)	atent Application				
	٠, <u>١</u> ٥٠١٥٠					

DETAILED ACTION

WITHDRAWN OBJECTION

1. The objection to Claims 1 - 42, of record on page 2 of the previous Action, is withdrawn.

NEW REJECTIONS

Claim Rejections - 35 USC § 103

- 2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 3. Claims 1, 4 23 and 26 42 are rejected under 35 U.S.C. 103(a) as being unpatentable over Huang et al (U.S. Patent No. 6,435,350) in view of Williams (U.S. Patent No. 5,078,667).

With regard to Claim 1, 7-8 and 29-30, Huang et al disclose a self – opening bag stack (bag pack; column 7, lines 32-33) comprising a plurality of stacked bags (column 11, lines 40-44) which is a film bag (column 17, line 46); the bags are frangibly bonded (column 7, lines 53-55), and are therefore releasably adhered in substantial registration (column 5, lines 35-38); each of the bags include front and rear film walls (column 7, lines 38-40) having first and second side edges, a top edge and a bottom edge (column 7, lines 40-44), the front and rear walls integrally joined at the first and second side edges (joined together by pleated side walls; column 7, lines 40-44) and secured together at their bottom edges (by sealing; column 7, lines 40-44) and defining an open mouth portion adjacent the top edges (column 7, lines 38-40); the entire outer surface of the bag is corona treated (column 2, lines 5-9); the bag comprises

plastic (column 12, line 53); Huang et al fail to disclose a bag comprising 52 - 68 wt.% high density polyethylene and 20 - 30 wt. % linear low density polyethylene.

Williams teaches a bag (column 3, lines 30 - 32) comprising 52 - 68 wt.% high density polyethylene and 20 - 30 wt. % linear low density polyethylene (column 6, lines 12 - 20) for the purpose of obtaining a bag which is produced without stress relief notches (column 3, lines 28). One of ordinary skill in the art would therefore have recognized the advantage of providing for the composition of Williams in Huang et al, which comprises a bag, depending on the desired production of the end product.

It therefore would have been obvious for one of ordinary skill in the art at the time Applicant's invention was made to have provided for a bag comprising 52 – 68 wt.% high density polyethylene and 20 - 30 wt. % linear low density polyethylene in Huang et al in order to obtain a bag which is produced without stress relief notches as taught by Williams.

With regard to Claims 4 and 26, the bags disclosed by Huang et al are recyclable (column 1, lines 35 - 40) Huang et al fail to disclose bags that comprise 10 - 20 wt % recycled material; however, Huang et al disclose bags that are recyclable or disposable by incineration (column 1, lines 35 - 40) and therefore disclose the selection of the amount of recycled material depending on the desired amount of necessary incineration. Therefore, one of ordinary skill in the art would have recognized the utility of varying the amount of recycled material to obtain the desired amount of incineration. Therefore, the amount of incineration would be readily determined by through routine optimization of the amount of recycled material by one having ordinary skill in the art depending on the desired use of the end product as taught by Huang et al.

It therefore would be obvious for one of ordinary skill in the art to vary the amount of recycled material in order to obtain the desired amount of incineration, since the amount of incineration would be readily determined through routine optimization by one having ordinary skill in the art depending on the desired end result as shown by Huang et al.

With regard to Claims 5 and 27, the linear low density polyethylene taught by Williams has a density of 0.930 or less (column 6, lines 60 - 62); Williams therefore teaches a linear low density polyethylene in which 10 - 15 wt. % has a density ranging from 0.923 - 0.924 gm/cc.

With regard to Claims 6 and 28, the linear low density polyethylene taught by Williams has a melt index of 0.930 or less (column 7, line 3); Williams therefore teaches a linear low density polyethylene in which 10 - 15 wt. % has a melt index ranging from 0.25 - 0.30 gm/10 minutes.

With regard to Claims 9, 15, 18, 31, 35 and 38, the stack taught by Huang et al comprises a cold staking area piercing and extending transversely through the bag stack for maintaining the bags in the bag stack in substantial registration (cold pin bonding; column 14, line 34).

With regard to Claims 10, 16, 19, 32, 36 and 39, the stack taught by Huang et al comprises a hot melt pin area piercing and extending transversely through the bag stack for maintaining the bags in the bag stack in substantial registration (hot pin welds; column 15, lines 33-35).

With regard to Claims 11 and 33, each of the bags disclosed by Huang et al includes longitudinally oriented side gussets (pleated side walls; column 7, lines 39 – 40).

With regard to Claims 12, 14, 34 and 37, Huang et al disclose a dispensing rack having horizontal arms (projections; column 10, line 29 – 31; Figure 10), and a pin area piercing as

stated above; Huang et al therefore disclose first and second opening penetrating and extending transversely through the bag stack in an upper portion of the bags and spaced downwardly from the top edge, spaced inwardly from the first and second side edges and serving to support the bag stack on horizontal arms of a dispensing rack.

With regard to Claim 13, the bags disclosed by Huang et al comprise an upper seam sealing the front wall to the rear wall to the respective top edges (column 2, lines 13 - 15) and a U - shaped cut - out disposed in an upper portion of the bag and commencing at a first point along the upper seam spaced inwardly from the first side edge and extending to a second point along the upper seam inwardly from the second side edge, the cut – out extending downwardly toward the bottom edges, thereby forming an open mouth portion and a pair of bag handles (column 7, lines 30 – 46; Figure 1).

With regard to Claims 17, the bag disclosed by Huang et al comprises a central tab portion connected to the open mouth portion of the bags in the bag stack (column 7, lines 46 – 48) and an aperture extending transversely through the bag stack within the central tab portion for suspending the bag stack from a dispensing member (suspension aperture (column 14, lines 43 - 45).

With regard to Claims 20 - 21 and 40 - 41, the central tab portion of each bag disclosed by Huang et al is detachably connected to said open mouth portion of the bags (a tab aperture, the bags being held together by frangible bond; the central tab portion of each bag therefore includes a frangible section, the frangible section extending from the aperture to an outer edge of the central tab portion and the frangible portion rupturing upon removal of the bag from the dispensing member).

With regard to Claims 22 and 42, the entire outer surface of the bag disclosed by Huang et al is corona treated, as stated above, and therefore has a surface tension on the corona treated surface of at least 38 dynes.

With regard to Claim 23, the bag disclosed by Huang et al is a t – shirt type bag (column 7, lines 40 - 41) and has laterally spaced upwardly extending bag handles, an open mouth portion between the handles and central support tab portion extending upwardly from the open mouth portion (column 7, lines 45 - 48; Figure 1).

4. Claims 2 – 3 and 24 – 25 are rejected under 35 U.S.C. 103(a) as being unpatentable over Huang et al (U.S. Patent No. 6,435,350) in view of Williams (U.S. Patent No. 5,078,667) and further in view of Mawson et al (U.S. Patent Publication No. 2002/0107342).

Huang et al and Williams discloses a bag as discussed above. With regard to Claims 2 – 3 and 24 – 25, Huang et al and Williams fail to disclose a bag comprising 0.5 wt. % slip and antiblock compound and 1 – 3 wt. % calcium carbonate.

Mawson et al teach a bag (paragraph 390) comprising 0.5 wt. % slip and antiblock compound and 1-3 wt. % calcium carbonate (paragraph 394) for the purpose of obtaining a bag for heavy duty use (paragraph 390). One of ordinary skill in the art would therefore have recognized the advantage of providing for the slip and antiblock compound and calcium carbonate of Mawson et al in Huang et al and Williams, which comprises a bag, depending on the desired use of the end product.

It therefore would have been obvious for one of ordinary skill in the art at the time

Applicant's invention was made to have provided for 0.5 wt. % slip and antiblock compound and

1-3 wt. % calcium carbonate in Huang et al and Williams in order to obtain a bag for heavy duty use as taught by Mawson et al.

ANSWERS TO APPLICANT'S ARGUMENTS

5. Applicant's arguments regarding the objection to Claims 1 – 42, 35 U.S.C. 103(a) rejection of Claims 1, 4 – 23 and 26 – 42 as being unpatentable over Huang et al (U.S. Patent No. 6,435,350) in view of Williams (U.S. Patent No. 5,078,667) and 35 U.S.C. 103(a) rejection of Claims 2 – 3 and 24 – 25 as being unpatentable over Huang et al (U.S. Patent No. 6,435,350) in view of Williams (U.S. Patent No. 5,078,667) and further in view of Mawson et al (U.S. Patent Publication No. 2002/0107342), of record in the previous Action, have been considered but have not been found to be persuasive for the reasons set forth below.

Applicant argues, on page 2 of the remarks dated August 16, 2006, that the phrase 'medium molecular weight' need not be further defined because the phrase is well – known in the art.

However, no molecular weight range is provided by Applicant, and it is not clear that the phrase has the same meaning whenever it is used in the art, like the phrase 'high density' in high density polyethylene.

Applicant also argues on page 2 that the claimed composition provides unexpected adhesion properties between adjacent bags providing a self – opening bag system without the need for localized pressure points, punches or adhesives.

However, no data have been provided which show the adhesion properties or a self – opening bag system without the need for localized pressure points, punches or adhesives, in the

Page 8

Art Unit: 1772

form of a declaration, and the adhesion properties have also not been disclosed in the specification. The lack of such evidence also makes it unclear what the advantages are for a composition having two different molecular weights of high density polyethylene, as opposed to one molecular weight of high density polyethylene as in the prior art, especially since Huang et al disclose releasable adhesion.

Applicant also argues, on page 5, that medium molecular weight high density polyethylene is not disclosed by Huang et al.

However, as stated on page 2 of the previous Action, Claims 1-42 are objected to because of the lack of clarity of the meaning of the phrases 'high molecular weight' and 'medium molecular weight'. For purposes of examination, the claims will be interpreted to be directed to 52-68 wt % high density polyethylene.

Applicant also argues, on page 5, that the claimed composition, and therefore adhesive properties, are not disclosed by the prior art.

However, as stated above, no data have been provided which show the adhesion properties or a self – opening bag system without the need for localized pressure points, punches or adhesives, in the form of a declaration, and the adhesion properties have also not been disclosed in the specification.

The rejection of the previous Action is corrected for a typographical error above: Williams is U.S. Patent No. 5,078,667.

Application/Control Number: 10/644,435 Page 9

Art Unit: 1772

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Marc A Patterson whose telephone number is 571-272-1497. The examiner can normally be reached on Mon - Fri 8:30 AM - 5:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Harold Pyon can be reached on 571-272-1498. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Marc A. Patterson, PhD. Primary Examiner
Art Unit 1772